

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 14.06.2018

Version number 3

Revision: 14.06.2018

SECTION 1: Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier

- · Trade name: Aqua Fermit
- **1.2 Relevant identified uses of the substance or mixture and uses advised against** No further relevant information available.
- · Application of the substance / the mixture Sealant
- · 1.3 Details of the supplier of the safety data sheet
- *Manufacturer/Supplier:* Fermit GmbH Zur Heide 4, D- 53560 Vettelschoß www.fermit.de
- Informing department: Tel.: +49 (0) 2645-2207 Fax: +49 (0) 2645-3113 Email: info@fermit.de
- · 1.4 Emergency telephone number: Tel.: +49 (0) 2645-2207

SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
- *Classification according to Regulation (EC) No 1272/2008* The product is not classified, according to the CLP regulation.

· 2.2 Label elements

- · Labelling according to Regulation (EC) No 1272/2008 Void
- · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Plastic mass of natural rock dusts and mineral oils and red pigments.

| · Dangerous components: | | |
|-----------------------------|---|----------|
| CAS: 7727-43-7 | barium sulphate, natural | 10 - 25% |
| EINECS: 231-784-4 | substance with a Community workplace exposure limit | |
| Reg.nr.: 01-2119491274-35-X | | |
| CAS: 8042-47-5 | White mineral oil, petroleum | 10 - 25% |
| EINECS: 232-455-8 | 🕹 Asp. Tox. 1, H304 | |
| Reg.nr.: 01-2119487078-27-X | | |

SECTION 4: First aid measures

4.1 Description of first aid measures

• General information Instantly remove any clothing contaminated by the product.

GB

Printing date 14.06.2018

Version number 3

Revision: 14.06.2018

Trade name: Aqua Fermit

| | (Contd. from page 1) |
|---|----------------------|
| • After inhalation Inhalation is not considered a potential way of exposure. | |
| · After skin contact | |
| Instantly wash with water and soap and rinse thoroughly. | |
| If skin irritation continues, consult a doctor. | |
| · After eye contact | |
| Rinse opened eye for several minutes under running water. | |
| Seek medical treatment. | |
| · After swallowing | |
| Rinse out mouth and then drink plenty of water. | |
| In case of persistent symptoms consult doctor. | |
| 4.2 Most important symptoms and effects, both acute and delayed | |
| No further relevant information available. | |
| \cdot 4.3 Indication of any immediate medical attention and special treatmen | t needed |
| No further relevant information available. | |
| | |
| SECTION 5: Eirofighting massures | |
| SECTION 5: Firefighting measures | |
| · 5.1 Extinguishing media | |
| · Suitable extinguishing agents | |
| The product itself does not burn. | |
| Use fire fighting measures that suit the environment. | |
| • For safety reasons unsuitable extinguishing agents Not applicable. | |
| \cdot 5.2 Special hazards arising from the substance or mixture | |

Formation of toxic gases is possible during heating or in case of fire.

- · 5.3 Advice for firefighters
- · Protective equipment: Do not inhale explosion gases or combustion gases.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures The usual precautionary measures should be adhered to general rules for handling chemicals. Avoid contact with the product.
- 6.2 Environmental precautions: Do not allow product to reach sewage system or water bodies. Inform respective authorities in case product reaches water or sewage system. Do not allow to enter drainage system, surface or ground water.
 6.3 Methods and material for containment and cleaning up:
- Collect mechanically. Send for recovery or disposal in suitable containers.
- 6.4 Reference to other sections No dangerous materials are released.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions necessary if used correctly. Avoid contact with eyes and skin.
- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- *Requirements to be met by storerooms and containers:* Store in cool location. Keep container tightly closed.
- · Information about storage in one common storage facility: Do not store together with acids.
- Further information about storage conditions: None.

(Contd. on page 3)

Version number 3

Revision: 14.06.2018

Trade name: Aqua Fermit

Printing date 14.06.2018

· 7.3 Specific end use(s) No further relevant information available.

(Contd. from page 2)

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- · Components with limit values that require monitoring at the workplace:

7727-43-7 barium sulphate, natural

WEL (Great Britain) Long-term value: 10* 4** mg/m³ *inhalable dust **respirable dust

· Additional information: The lists that were valid during the compilation were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment
- · General protective and hygienic measures
- The usual precautionary measures should be adhered to general rules for handling chemicals.
- Breathing equipment: Not required.
- · Protection of hands:

In case of longer or repeated contact with the skin: use protective cream for the skin surfaces coming into contact with the product.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- For the permanent contact gloves made of the following materials are suitable: Nitrile rubber, NBR
- · Eye protection: Not required.
- · Body protection: Protective work clothing.

SECTION 9: Physical and chemical properties

| General Information Appearance: | | |
|---|---|--|
| Form: Colour: Odour: | workable, plastic mass Red-brown odourless | |
| Change in condition Melting point/freezing point: Initial boiling point and boili | Not determined ng range: Not determined | |
| Flash point: | Not applicable | |
| Self-inflammability: | Product is not selfigniting. | |
| Explosive properties: | Product is not explosive. | |
| Density | Not determined | |
| Solubility in / Miscibility with Water: | Insoluble | |
| Solvent content: Water: | 0.0 % | |

Printing date 14.06.2018

Version number 3

Revision: 14.06.2018

(Contd. from page 3)

Trade name: Aqua Fermit

· 9.2 Other information

No further relevant information available.

SECTION 10: Stability and reactivity

- 10.1 Reactivity No further relevant information available.
- · 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- · 10.3 Possibility of hazardous reactions
- In case of influence by acids decomposition possible with CO2 being formed at the same time.
- 10.4 Conditions to avoid No further relevant information available.
- \cdot 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

None in case of intended use and storage in compliance with instructions.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

8042-47-5 White mineral oil, petroleum

- Oral LD50 > 5,000 mg/kg (rat) (OECD 401)
- Dermal LD50 > 2,000 mg/kg (rabbit) (OECD 402)

Inhalative LC50 > 5 mg/l/4h (rat) (OECD 403)

- · Primary irritant effect:
- · Skin corrosion/irritation

More frequent and continuous contact with the skin may result in irritation of the skin.

- Serious eye damage/irritation Based on available data, the classification criteria are not met.
- Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Repeated dose toxicity

8042-47-5 White mineral oil, petroleum

- Oral NOAEL (90d) > 1,900 mg/kg bw/day (rat) (OECD 408)
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

| \cdot 12.1 IOXICITY | • | 12.1 | Toxicity |
|-----------------------|---|------|----------|
|-----------------------|---|------|----------|

· Aquatic toxicity:

8042-47-5 White mineral oil, petroleum

- EC50 (static) > 100 mg/l/48h (Daphnia magna) (OECD 202)
- LC50 (static) > 1,000 mg/l/96h (Oncorhynchus mykiss) (OECD 203)
- NOEL (static) > 100 mg/l/72h (Pseudokirchneriella subcapitata)
- 12.2 Persistence and degradability No further relevant information available.

(Contd. on page 5)

Printing date 14.06.2018

Version number 3

Revision: 14.06.2018

(Contd. from page 4)

Trade name: Aqua Fermit

· Other information:

Biodegradability is not probable due to the consistency as well as the low degree of water solubility of the product.

- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · **PBT:** Not applicable.
- · vPvB: Not applicable.

• 12.6 Other adverse effects No further relevant information available.

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

The waste code numbers mentioned are recommendations based on the probable use of the product.

| · European waste catalogue | | |
|----------------------------|---|--|
| 08 00 00 | WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS | |
| 08 04 00 | wastes from MFSU of adhesives and sealants (including waterproofing products) | |
| 08 04 10 | waste adhesives and sealants other than those mentioned in 08 04 09 | |

· Uncleaned packagings:

· Recommendation:

Non contaminated packagings can be used for recycling.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

| 14.1 UN-Number | | |
|-----------------------------------|-----------------|--|
| ADR, ADN, IMDG, IATA | Void | |
| 14.2 UN proper shipping name | | |
| ADR, ADN, IMDG, IATA | Void | |
| 14.3 Transport hazard class(es) | | |
| ADR, ADN, IMDG, IATA | | |
| Class | Void | |
| 14.4 Packing group | | |
| ADR, IMDG, IATA | Void | |
| 14.5 Environmental hazards: | | |
| Marine pollutant: | No | |
| 14.6 Special precautions for user | Not applicable. | |

Printing date 14.06.2018

Version number 3

Revision: 14.06.2018

Trade name: Aqua Fermit

| | (Contd. from page 5) |
|---|--|
| 14.7 Transport in bulk according to An of Marpol and the IBC Code | <i>nex II</i> Not applicable. |
| · Transport/Additional information: | Not dangerous according to the above specifications. |
| · UN "Model Regulation": | Void |
| | |

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- · National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Substances of very high concern (SVHC) according to REACH, Article 57
- None of the ingredients is contained.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H304 May be fatal if swallowed and enters airways.

- · Department issuing data specification sheet: This Material Safety Data Sheet has been drawn up in cooperation with: DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany, phone: (+49) 511 42079 - 0, reach@dekra.com. Abbreviations and acronvms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: International Civil Aviation Organisation ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative
 - Asp. Tox. 1: Aspiration hazard Category 1
- · * Data compared to the previous version altered.

GB