


Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 03.07.2018

Version number 2

Revision: 02.07.2018



P302+P352 IF ON SKIN: Wash with plenty of water.

(Contd. on page 2)

GB

Printing date 03.07.2018

Version number 2

Revision: 02.07.2018

Trade name: 3-D-Sealant Super

		(Contd. from page 1)
P362+P364	Take off contaminated clothing and wash it before reuse.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P321	Specific treatment (see on this label).	
P501	Dispose of contents/container in accordance with local / regional / r international regulations.	national /
· 2.3 Other h	0	
· Results of	PBT and vPvB assessment	

· **PBT:** Not applicable.

· vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

· Description: Mixture of the substances listed below including additives not requiring identification.

	Dangerous components:			
CAS: 64-17-5 EINECS: 200-578-6 Reg.nr.: 01-2119457610-43-X	ethanol 🚸 Flam. Liq. 2, H225; 🚸 Eye Irrit. 2, H319	2.5 - 10%		
CAS: 2682-20-4 EINECS: 220-239-6	2-methyl-2H-isothiazol-3-one	≥ 0.025 - < 0.1%		

· Additional information For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

· 4.1 Description of first aid measures

- · General information No special measures required.
- After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact
- Wash with water and soap.

In case of skin irritations or sensitizing effects, consult doctor.

· After eye contact

Keep eye lids open and rinse them with ample amounts of clean running water for at least 15 minutes.

In case of permanent aches and pains please go and see the doctor.

- *After swallowing* Rinse mouth and immediately consult physician.
- Do not induce vomitting.
- **4.2** Most important symptoms and effects, both acute and delayed No further relevant information available.
- **4.3** Indication of any immediate medical attention and special treatment needed No further relevant information available.

SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

Extinguishing powder, foam or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- For safety reasons unsuitable extinguishing agents Water with a full water jet.
- 5.2 Special hazards arising from the substance or mixture

Inhalation of combustion gases may cause serious health hazards.

(Contd. on page 3)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.07.2018

Version number 2

Revision: 02.07.2018

(Contd. from page 2)

Trade name: 3-D-Sealant Super

- During incomplete combustion carbon monoxide can be formed.
- 5.3 Advice for firefighters
- \cdot Protective equipment: Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Not required.
 6.2 Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- Prevent from spreading (e.g. by damming-in or oil barriers).
 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders). Dispose of contaminated material as waste according to section 13. Clean preferably with cleaning agent; preferably don't use solvents.
- 6.4 Reference to other sections
 See Section 7 for information on safe handling
 See Section 8 for information on personal protection equipment.
 See Section 13 for information on disposal.

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling Ensure sufficient ventilation. Don't eat, drink or smoke while working.
 Information about protection against explosions and fires:
- Keep ignition sources away Do not smoke.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
- **Requirements to be met by storerooms and containers:** Keep container tightly closed and store upright to prevent any spill of product. Store cool and dry in well sealed containers. Store only in the original container.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: None.
- 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

- · 8.1 Control parameters
- Components with limit values that require monitoring at the workplace: WEL: workplace exposure limit

64-17-5 ethanol

- WEL (Great Britain) Long-term value: 1920 mg/m³, 1000 ppm
- Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Personal protective equipment
- General protective and hygienic measures Do not eat, drink or smoke while working. Wash hands during breaks and at the end of the work.
- · Breathing equipment: Not required.

(Contd. on page 4)

GB

Printing date 03.07.2018

Version number 2

Revision: 02.07.2018

(Contd. from page 3)

Trade name: 3-D-Sealant Super

· Protection of hands:

Protective gloves are only required in case of intense and/or prolonged skin contact with the product.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. Nitrile rubber, NBR

· Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

• Eye protection: Safety glasses recommended if possibility of liquid splashes exists.

· Body protection: Wash contaminated clothing after use.

9.1 Information on basic physical and chemical properties			
General Information			
Appearance:			
Form:	Liquid		
Colour:	Colourless		
Odour:	Characteristic		
Odour threshold:	Not determined.		
pH-value:	Not determined.		
Change in condition			
Melting point/freezing point:	Not determined		
Initial boiling point and boiling range	e: Not determined		
Flash point:	> 65 °C		
Inflammability (solid, gaseous)	Not applicable.		
Decomposition temperature:	Not determined.		
Self-inflammability:	Product is not selfigniting.		
Explosive properties:	Product is not explosive.		
Critical values for explosion:			
Lower:	Not determined.		
Upper:	Not determined.		
Vapour pressure:	Not determined.		
Density at 20 °C	> 1 g/cm ³		
Vapour density	Not determined.		
Evaporation rate	Not determined.		
Solubility in / Miscibility with			
Water:	Not miscible or difficult to mix		

(Contd. on page 5)

GP

Printing date 03.07.2018

Version number 2

Revision: 02.07.2018

Trade name: 3-D-Sealant Super

(Contd. from page 4)

SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- Thermal decomposition / conditions to be avoided:
- No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- · 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

None in case of intended use and storage in compliance with instructions.

SECTION 11: Toxicological information

- · 11.1 Information on toxicological effects
- Acute toxicity Based on available data, the classification criteria are not met.
- · Primary irritant effect:
- Skin corrosion/irritation Based on available data, the classification criteria are not met.
- Serious eye damage/irritation Based on available data, the classification criteria are not met. • Respiratory or skin sensitisation
- Sensitive persons can possibly have allergic reactions. This is also valid below the fixed levels of exposure.

May cause an allergic skin reaction.

- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- Reproductive toxicity Based on available data, the classification criteria are not met.
- STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

- · 12.1 Toxicity
- Aquatic toxicity: No further relevant information available.
- 12.2 Persistence and degradability No further relevant information available.
- Other information: There are no data available about the preparation.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

- · 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Other adverse effects No further relevant information available.

(Contd. on page 6)

GB

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 03.07.2018

Version number 2

Revision: 02.07.2018

Trade name: 3-D-Sealant Super

(Contd. from page 5)

SECTION 13: Disposal considerations

· 13.1 Waste treatment methods

· Recommendation

Smaller quantities can be disposed with household waste.

The waste code numbers mentioned are recommendations based on the probable use of the product.

· European	waste	catalogue
------------	-------	-----------

-	-
	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 04 00	wastes from MFSU of adhesives and sealants (including waterproofing products)
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09

· Uncleaned packagings:

Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Non contaminated packagings can be used for recycling.

Packagings that cannot be cleaned are to be disposed of in the same manner as the product.

SECTION 14: Transport information	
· 14.1 UN-Number · ADR, ADN, IMDG, IATA	Void
 14.2 UN proper shipping name ADR, ADN, IMDG, IATA 	Void
 14.3 Transport hazard class(es) 	
· ADR, ADN, IMDG, IATA · Class	Void
 14.4 Packing group ADR, IMDG, IATA 	Void
· 14.5 Environmental hazards:	Not applicable.
· 14.6 Special precautions for user	Not applicable.
 14.7 Transport in bulk according to Ann of Marpol and the IBC Code 	nex II Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

SECTION 15: Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

- · Directive 2012/18/EU
- Named dangerous substances ANNEX I None of the ingredients is listed.
- REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

(Contd. on page 7)

GB

Printing date 03.07.2018

Version number 2

Revision: 02.07.2018

Trade name: 3-D-Sealant Super

(Contd. from page 6)

· National regulations

- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Substances of very high concern (SVHC) according to REACH, Article 57
- None of the ingredients is contained.
- · 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H225 Highly flammable liquid and vapour.
- H301 Toxic if swallowed.
- H311 Toxic in contact with skin.
- H314 Causes severe skin burns and eye damage.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H319 Causes serious eye irritation.
- H330 Fatal if inhaled.
- H335 May cause respiratory irritation.
- H400 Very toxic to aquatic life.
- H410 Very toxic to aquatic life with long lasting effects.

· Department issuing data specification sheet:

This Material Safety Data Sheet has been drawn up in cooperation with: DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany, phone: (+49) 511 42079 - 0, reach@dekra.com. © DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH. Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids - Category 2 Acute Tox. 3: Acute toxicity – Category 3 Acute Tox. 2: Acute toxicity – Category 2 Skin Corr. 1B: Skin corrosion/irritation - Category 1B Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation - Category 2 Skin Sens. 1: Skin sensitisation - Category 1 Skin Sens. 1A: Skin sensitisation - Category 1A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 Aquatic Acute 1: Hazardous to the aquatic environment - acute aquatic hazard - Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard - Category 1

 \cdot * Data compared to the previous version altered.