

**Safety data sheet**  
according to 1907/2006/EC, Article 31

Printing date 26.04.2023

Version number 1

Revision: 26.04.2023

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- **1.1 Product identifier**
  - **Trade name:** **Aqua-Fix PRO beige**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**

No further relevant information available.

  - **Application of the substance / the mixture** Sealing
- **1.3 Details of the supplier of the safety data sheet**
  - **Manufacturer/Supplier:**

Fermit GmbH  
Zur Heide 4,  
D- 53560 Vettelschoß  
www.fermit.de
  - **Informing department:**

Tel.: +49 (0) 2645-2207  
Fax: +49 (0) 2645-3113  
Email: info@fermit.de
- **1.4 Emergency telephone number:** Tel.: +49 (0) 2645-2207

**SECTION 2: Hazards identification**

- **2.1 Classification of the substance or mixture**
  - **Classification according to Regulation (EC) No 1272/2008**

The product is not classified, according to the CLP regulation.
- **2.2 Label elements**
  - **Labelling according to Regulation (EC) No 1272/2008** Void
  - **Hazard pictograms** Void
  - **Signal word** Void
  - **Hazard statements** Void
  - **Precautionary statements**

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.
  - **Additional information:**

Contains trimethoxyvinylsilane. May produce an allergic reaction.  
Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist.
- **2.3 Other hazards**
  - **Results of PBT and vPvB assessment**
    - **PBT:** Not applicable.
    - **vPvB:** Not applicable.
  - **Determination of endocrine-disrupting properties**

The product does not contain substances with endocrine disrupting properties.

**SECTION 3: Composition/information on ingredients**

- **3.2 Mixtures**
  - **Description:** Mixture of the substances listed below including additives not requiring identification.  
(Contd. on page 2)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.04.2023

Version number 1

Revision: 26.04.2023

**Trade name: Aqua-Fix PRO beige**

(Contd. from page 1)

**· Dangerous components:**

CAS: 2768-02-7 EINECS: 220-449-8 Reg.nr.: 01-2119513215-52-X	trimethoxyvinylsilane Flam. Liq. 3, H226; Acute Tox. 4, H332; Skin Sens. 1B, H317	≥ 1 - < 2.5%
CAS: 13463-67-7 EINECS: 236-675-5 Reg.nr.: 01-2119489379-17-X	titanium dioxide Carc. 2, H351	≥ 1 - < 2.5%
CAS: 13822-56-5 EINECS: 237-511-5 Reg.nr.: 01-2119510159-45-X	3-(trimethoxysilyl)propylamine Eye Dam. 1, H318; Skin Irrit. 2, H315 Specific concentration limits: Skin Irrit. 2; H315: C ≥ 10 % Eye Irrit. 2; H319: C ≥ 3 %	≥ 1 - < 2.5%
CAS: 3648-18-8 EINECS: 222-883-3	dioctyltin dilaurate Repr. 1B, H360D; STOT RE 1, H372	< 0.3%

**· SVHC**

3648-18-8 dioctyltin dilaurate

**· Additional information** For the wording of the listed hazard phrases refer to section 16.**SECTION 4: First aid measures**

- **4.1 Description of first aid measures**
- **After inhalation** Supply fresh air; consult doctor in case of symptoms.
- **After skin contact**  
Wash intensively with water and soap. Use protective skin ointment.  
In case of skin irritations or sensitizing effects, consult doctor.
- **After eye contact**  
Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- **After swallowing**  
Rinse out mouth.  
In case of persistent symptoms consult doctor.
- **4.2 Most important symptoms and effects, both acute and delayed** Allergic reactions
- **4.3 Indication of any immediate medical attention and special treatment needed**  
No further relevant information available.

**SECTION 5: Firefighting measures**

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**  
Extinguishing powder, foam or water jet. Fight larger fires with water jet or alcohol-resistant foam.
- **For safety reasons unsuitable extinguishing agents** Water with a full water jet.
- **5.2 Special hazards arising from the substance or mixture**  
Carbon monoxide and carbon dioxide  
Nitrogen oxides (NO<sub>x</sub>)
- **5.3 Advice for firefighters**
- **Protective equipment:** Wear self-contained breathing apparatus.

**SECTION 6: Accidental release measures**

- **6.1 Personal precautions, protective equipment and emergency procedures**  
Avoid contact to eyes, skin and clothes.  
Ensure adequate ventilation
- **6.2 Environmental precautions:**  
Do not allow to enter drainage system, surface or ground water.

(Contd. on page 3)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.04.2023

Version number 1

Revision: 26.04.2023

**Trade name: Aqua-Fix PRO beige**

(Contd. from page 2)

Inform respective authorities in case product reaches water or sewage system.

· **6.3 Methods and material for containment and cleaning up:**

Collect mechanically.

Send for recovery or disposal in suitable containers.

· **6.4 Reference to other sections**

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### SECTION 7: Handling and storage

· **7.1 Precautions for safe handling**

Avoid contact with eyes and skin.

Don't eat, drink or smoke while working.

· **Information about protection against explosions and fires:** No special measures required.

· **7.2 Conditions for safe storage, including any incompatibilities**

· **Storage**

· **Requirements to be met by storerooms and containers:** Keep container tightly closed.

· **Information about storage in one common storage facility:**

Keep away from food, drink and animal feeding stuffs.

· **Further information about storage conditions:**

Store in cool, dry conditions in well sealed containers.

· **7.3 Specific end use(s)** No further relevant information available.

### SECTION 8: Exposure controls/personal protection

· **8.1 Control parameters**

· **Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· **DNELs**

**2768-02-7 trimethoxyvinylsilane**

Oral	DNEL (consumer, long-term, systemic)	0.63 mg/kg bw/day (human)
Dermal	DNEL (worker, long-term, systemic)	0.91 mg/kg bw/day (human)
	DNEL (consumer, long-term, systemic)	0.63 mg/kg bw/day (human)
Inhalative	DNEL (worker, short-term, systemic)	73.6 mg/m <sup>3</sup> (human)
	DNEL (worker, long-term, systemic)	27.6 mg/m <sup>3</sup> (human)
	DNEL (consumer, short-term, systemic)	54.4 mg/m <sup>3</sup> (human)
	DNEL (consumer, long-term, systemic)	6.8 mg/m <sup>3</sup> (human)

**13463-67-7 titanium dioxide**

Oral	DNEL (consumer, long-term, systemic)	700 mg/kg bw/day (human)
Inhalative	DNEL (worker, long-term, local)	10 mg/m <sup>3</sup> (human)

**13822-56-5 3-(trimethoxysilyl)propylamine**

Dermal	DNEL (worker, long-term, systemic)	1 mg/kg bw/day (human)
	DNEL (consumer, long-term, systemic)	0.5 mg/kg bw/day (human)
Inhalative	DNEL (worker, long-term, systemic)	7.1 mg/m <sup>3</sup> (human)
	DNEL (consumer, long-term, systemic)	1.7 mg/m <sup>3</sup> (human)

· **PNECs**

**2768-02-7 trimethoxyvinylsilane**

PNEC aqua (freshwater)	0.4 mg/L (.)
------------------------	--------------

(Contd. on page 4)

**Safety data sheet**  
**according to 1907/2006/EC, Article 31**

Printing date 26.04.2023

Version number 1

Revision: 26.04.2023

**Trade name: Aqua-Fix PRO beige**

(Contd. from page 3)

PNEC aqua (marine water)	0.04 mg/L (.)
PNEC soil	0.06 mg/kg soil dw (.)
PNEC sediment (freshwater)	1.5 mg/kg sedim. dw (.)
PNEC sediment (marine water)	0.15 mg/kg sedim. dw (.)
<b>13463-67-7 titanium dioxide</b>	
PNEC aqua (freshwater)	0.127 mg/L (.)
PNEC aqua (marine water)	1 mg/L (.)
PNEC STP - Sewage Treatment Plant	100 mg/L (.)
PNEC soil	100 mg/kg soil dw (.)
PNEC sediment (freshwater)	1,000 mg/kg sedim. dw (.)
PNEC sediment (marine water)	100 mg/kg sedim. dw (.)
PNEC aqua (intermittent releases)	0.61 mg/L (.)
PNEC oral	1,667 mg/kg food (.)
<b>13822-56-5 3-(trimethoxysilyl)propylamine</b>	
PNEC aqua (freshwater)	0.5 mg/L (.)
PNEC aqua (marine water)	0.05 mg/L (.)
PNEC STP - Sewage Treatment Plant	0.81 mg/L (.)
PNEC soil	0.069 mg/kg soil dw (.)
PNEC sediment (freshwater)	1.8 mg/kg sedim. dw (.)
PNEC aqua (intermittent releases)	2.05 mg/L (.)
PNEC oral	11.1 mg/kg food (.)

· **Additional information:** The lists that were valid during the compilation were used as basis.

· **8.2 Exposure controls**

· **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures**

Keep away from foodstuffs, beverages and food.

Wash hands during breaks and at the end of the work.

Avoid contact with the eyes and skin.

Use skin protection cream for preventive skin protection.

· **Breathing equipment:** Not required.

· **Hand protection**

Protective gloves are only required in case of intense and/or prolonged skin contact with the product.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

Butyl rubber, BR

PVA gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection** Not required.

**SECTION 9: Physical and chemical properties**

· **9.1 Information on basic physical and chemical properties**

· **General Information**

· **Physical state**

Fluid

(Contd. on page 5)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.04.2023

Version number 1

Revision: 26.04.2023

**Trade name: Aqua-Fix PRO beige**

(Contd. from page 4)

· <b>Colour:</b>	Beige
· <b>Odour:</b>	Characteristic
· <b>Melting point/freezing point:</b>	Not determined
· <b>Boiling point or initial boiling point and boiling range</b>	Not determined
· <b>Flash point:</b>	Not applicable
· <b>SADT</b>	
· <b>Viscosity:</b>	
· <b>Kinematic viscosity</b>	Not determined.
· <b>dynamic:</b>	Not determined.
· <b>Solubility</b>	
· <b>Water:</b>	Insoluble
· <b>Vapour pressure at 50 °C:</b>	< 110 kPa
· <b>Density and/or relative density</b>	
· <b>Density</b>	Not determined
· <b>Relative density</b>	> 1

**9.2 Other information**

· <b>Appearance:</b>	
· <b>Form:</b>	Pasty
· <b>Important information on protection of health and environment, and on safety.</b>	
· <b>Explosive properties:</b>	Product is not explosive.
· <b>VOC EU</b>	16 g/L

**Information with regard to physical hazard classes**

· <b>Explosives</b>	Void
· <b>Flammable gases</b>	Void
· <b>Aerosols</b>	Void
· <b>Oxidising gases</b>	Void
· <b>Gases under pressure</b>	Void
· <b>Flammable liquids</b>	Void
· <b>Flammable solids</b>	Void
· <b>Self-reactive substances and mixtures</b>	Void
· <b>Pyrophoric liquids</b>	Void
· <b>Pyrophoric solids</b>	Void
· <b>Self-heating substances and mixtures</b>	Void
· <b>Substances and mixtures, which emit flammable gases in contact with water</b>	Void
· <b>Oxidising liquids</b>	Void
· <b>Oxidising solids</b>	Void
· <b>Organic peroxides</b>	Void
· <b>Corrosive to metals</b>	Void
· <b>Desensitised explosives</b>	Void

### SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **10.3 Possibility of hazardous reactions** No dangerous reactions known
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** No further relevant information available.

(Contd. on page 6)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.04.2023

Version number 1

Revision: 26.04.2023

**Trade name: Aqua-Fix PRO beige**

(Contd. from page 5)

- **10.6 Hazardous decomposition products:** Carbon monoxide and carbon dioxide

### SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

- **LD/LC50 values that are relevant for classification:**

**2768-02-7 trimethoxyvinylsilane**

Oral	LD50	6,899 mg/kg (rat)
------	------	-------------------

**13463-67-7 titanium dioxide**

Oral	LD50	> 5,000 mg/kg (rat) (OECD 425)
------	------	--------------------------------

**13822-56-5 3-(trimethoxysilyl)propylamine**

Oral	LD50	3,010 mg/kg (rat)
Dermal	LD50	11,460 mg/kg (rabbit)

- **Skin corrosion/irritation** Based on available data, the classification criteria are not met.
- **Serious eye damage/irritation** Based on available data, the classification criteria are not met.
- **Respiratory or skin sensitisation**  
Experimental data has shown that the concentration of potentially sensitizing components present in this product does not induce skin sensitization.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **11.2 Information on other hazards**

- **Endocrine disrupting properties**

None of the ingredients is listed.

### SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

**2768-02-7 trimethoxyvinylsilane**

EC50	121 mg/l/48h (Daphnia magna)
------	------------------------------

LC50	137 mg/l/96h (fish)
------	---------------------

EC50	> 64 mg/l/72h (Algae)
------	-----------------------

NOEC	64 mg/l/72h (Algae)
------	---------------------

NOEC	20 mg/l/21d (Daphnia magna)
------	-----------------------------

**13463-67-7 titanium dioxide**

EC50	300 - 400 mg/l/96h (Daphnia magna)
	> 100 mg/l/96h (Oncorhynchus mykiss) (OECD 203)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
  - **PBT:** Not applicable.
  - **vPvB:** Not applicable.
- **12.6 Endocrine disrupting properties**  
The product does not contain substances with endocrine disrupting properties.

(Contd. on page 7)

# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.04.2023

Version number 1

Revision: 26.04.2023

**Trade name: Aqua-Fix PRO beige**

(Contd. from page 6)

- **12.7 Other adverse effects**
- **Additional ecological information:**
- **General notes:**  
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water.  
Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

### SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**  
Must not be disposed of together with household garbage. Do not allow product to reach sewage system.  
The waste code numbers mentioned are recommendations based on the probable use of the product.

- **European waste catalogue**

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 04 00	wastes from MFSU of adhesives and sealants (including waterproofing products)
08 04 09*	waste adhesives and sealants containing organic solvents or other hazardous substances
HP7	Carcinogenic

- **Uncleaned packagings:**
- **Recommendation:**  
Dispose of packaging according to regulations on the disposal of packagings.  
Cleaned packing materials have to be admitted to local recycling circuits.

### SECTION 14: Transport information

- |   |  |
|---|--|
| · <b>14.1 UN number or ID number</b><br>· <b>ADR/RID, ADN, IMDG, IATA</b>                       | Void   |
| · <b>14.2 UN proper shipping name</b><br>· <b>ADR/RID, ADN, IMDG, IATA</b>                      | Void   |
| · <b>14.3 Transport hazard class(es)</b><br>· <b>ADR/RID, ADN, IMDG, IATA</b><br>· <b>Class</b> | Void   |
| · <b>14.4 Packing group</b><br>· <b>ADR/RID, IMDG, IATA</b>                                     | Void   |
| · <b>14.5 Environmental hazards:</b><br>· <b>Marine pollutant:</b>                              | No   |
| · <b>14.6 Special precautions for user</b>  | Not applicable.                                      |
| · <b>14.7 Maritime transport in bulk according to IMO instruments</b>                           | Not applicable.                                      |
| · <b>Transport/Additional information:</b>  | Not dangerous according to the above specifications. |

(Contd. on page 8)



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.04.2023

Version number 1

Revision: 26.04.2023

**Trade name: Aqua-Fix PRO beige**

(Contd. from page 7)

· **UN "Model Regulation":** Void

### SECTION 15: Regulatory information

· **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**

· **Directive 2012/18/EU**

· **Named dangerous substances - ANNEX I** None of the ingredients is listed.

· **Regulation (EU) No 649/2012**

3648-18-8	dioctyltin dilaurate	Annex I Part 1
-----------	----------------------	----------------

· **DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II**

None of the ingredients is listed.

· **REGULATION (EU) 2019/1148**

· **Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))**

None of the ingredients is listed.

· **Annex II - REPORTABLE EXPLOSIVES PRECURSORS**

None of the ingredients is listed.

· **Regulation (EC) No 273/2004 on drug precursors**

None of the ingredients is listed.

· **Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors**

None of the ingredients is listed.

· **National regulations**

· **Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

· **Substances of very high concern (SVHC) according to REACH, Article 57**

3648-18-8	dioctyltin dilaurate
-----------	----------------------

· **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship. This safety data sheet meets the requirements of Regulation (EU) 2015/830 and 2020/878 amending Annex II of Regulation (EC) 1907/2006.

· **Relevant phrases**

H226 Flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H351 Suspected of causing cancer.

H360D May damage the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

(Contd. on page 9)

EU



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 26.04.2023

Version number 1

Revision: 26.04.2023

**Trade name: Aqua-Fix PRO beige**

(Contd. from page 8)

· **Department issuing data specification sheet:**

► **DEKRA** This Safety Data Sheet has been drawn up in cooperation with:  
DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany,  
phone: (+49) 511 42079 - 0, reach@dekra.com.

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

· **Abbreviations and acronyms:**

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)  
IMDG: International Maritime Code for Dangerous Goods  
IATA: International Air Transport Association  
GHS: Globally Harmonised System of Classification and Labelling of Chemicals  
EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
DNEL: Derived No-Effect Level (REACH)  
PNEC: Predicted No-Effect Concentration (REACH)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
SVHC: Substances of Very High Concern  
vPvB: very Persistent and very Bioaccumulative  
Flam. Liq. 3: Flammable liquids – Category 3  
Acute Tox. 4: Acute toxicity – Category 4  
Skin Irrit. 2: Skin corrosion/irritation – Category 2  
Eye Dam. 1: Serious eye damage/eye irritation – Category 1  
Skin Sens. 1B: Skin sensitisation – Category 1B  
Carc. 2: Carcinogenicity – Category 2  
Repr. 1B: Reproductive toxicity – Category 1B  
STOT RE 1: Specific target organ toxicity (repeated exposure) – Category 1

· **Sources** This safety data sheet was created based on the information provided by the supplier.

EU