



Printing date 20.09.2021 Version number 1 Revision: 20.09.2021

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

- · 1.1 Product identifier
- · Trade name: Aqua-Fix PRO schwarz
- 1.2 Relevant identified uses of the substance or mixture and uses advised against No further relevant information available.
- · Application of the substance / the mixture Sealing
- · 1.3 Details of the supplier of the safety data sheet
- Manufacturer/Supplier:

Fermit GmbH Zur Heide 4, D- 53560 Vettelschoß www.fermit.de

· Informing department:

Tel.: +49 (0) 2645-2207 Fax: +49 (0) 2645-3113 Email: info@fermit.de

• 1.4 Emergency telephone number: Tel.: +49 (0) 2645-2207

#### SECTION 2: Hazards identification

- · 2.1 Classification of the substance or mixture
  - Classification according to Regulation (EC) No 1272/2008
     The product is not classified, according to the CLP regulation.
- · 2.2 Label elements
- · Labelling according to Regulation (EC) No 1272/2008 Void
  - · Hazard pictograms Void
- · Signal word Void
- · Hazard statements Void
- · Additional information:

Contains N-(3-(trimethoxysilyl)propyl)ethylenediamine, DIOCTYLINBIS(ACETYLACETONATE). May produce an allergic reaction.

- · 2.3 Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · vPvB: Not applicable.

## SECTION 3: Composition/information on ingredients

- · 3.2 Mixtures
  - · **Description:** Mixture of the substances listed below including additives not requiring identification.

· Dangerous components:		
CAS: 2768-02-7	trimethoxyvinylsilane	< 2.5%
EINECS: 220-449-8	♦ Flam. Liq. 3, H226; ♦ Acute Tox. 4, H332	
Reg.nr.: 01-2119513215-52-X		
CAS: 1760-24-3	N-(3-(trimethoxysilyl)propyl)ethylenediamine	≥ 0.1 - < 1%
EINECS: 217-164-6	Eye Dam. 1, H318; (1) Skin Sens. 1, H317	
Reg.nr.: 01-2119970215-39-X		
		Contd. on page 2)

Printing date 20.09.2021 Version number 1 Revision: 20.09.2021

Trade name: Aqua-Fix PRO schwarz

CAS: 54068-28-9 DIOCTYLINBIS(ACETYLACETONATE)

🕸 STOT SE 2, H371; 아 Skin Sens. 1, H317

----

(Contd. from page 1) ≥ 0.1 - < 1%

ELINCS: 483-270-6 Reg.nr.: 01-0000020199-67-X

· Additional information For the wording of the listed hazard phrases refer to section 16.

#### SECTION 4: First aid measures

- · 4.1 Description of first aid measures
  - · After inhalation Supply fresh air; consult doctor in case of symptoms.
- · After skin contact

Wash intensively with water and soap. Use protective skin ointment.

In case of skin irritations or sensitizing effects, consult doctor.

· After eye contact

Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.

· After swallowing

Rinse out mouth.

In case of persistent symptoms consult doctor.

- · 4.2 Most important symptoms and effects, both acute and delayed Allergic reactions
- 4.3 Indication of any immediate medical attention and special treatment needed

No further relevant information available.

### SECTION 5: Firefighting measures

- · 5.1 Extinguishing media
- · Suitable extinguishing agents

Extinguishing powder, foam or water jet. Fight larger fires with water jet or alcohol-resistant foam.

- · For safety reasons unsuitable extinguishing agents Water with a full water jet.
- · 5.2 Special hazards arising from the substance or mixture

Carbon monoxide and carbon dioxide

Nitrogen oxides (NOx)

- · 5.3 Advice for firefighters
- · Protective equipment: Wear self-contained breathing apparatus.

### SECTION 6: Accidental release measures

· 6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact to eyes, skin and clothes.

Ensure adequate ventilation

6.2 Environmental precautions:

Do not allow to enter drainage system, surface or ground water.

Inform respective authorities in case product reaches water or sewage system.

6.3 Methods and material for containment and cleaning up:

Collect mechanically.

Send for recovery or disposal in suitable containers.

6.4 Reference to other sections

See Section 7 for information on safe handling

See Section 8 for information on personal protection equipment.

See Section 13 for information on disposal.

### SECTION 7: Handling and storage

#### · 7.1 Precautions for safe handling

Avoid contact with eyes and skin.

Don't eat, drink or smoke while working.

(Contd. on page 3)

Printing date 20.09.2021 Version number 1 Revision: 20.09.2021

Trade name: Aqua-Fix PRO schwarz

(Contd. from page 2)

- · Information about protection against explosions and fires: No special measures required.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage
  - · Requirements to be met by storerooms and containers: Keep container tightly closed.
- Information about storage in one common storage facility:

Keep away from food, drink and animal feeding stuffs.

- Further information about storage conditions:
- Store in cool, dry conditions in well sealed containers.
- 7.3 Specific end use(s) No further relevant information available.

#### SECTION 8: Exposure controls/personal protection

#### · 8.1 Control parameters

· Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· DNELs				
2768-02-7 trimethoxyvinylsilane				
Oral	DNEL (consumer, long-term, systemic)		0.3 mg/kg bw/day (human)	
Dermal	DNEL (worker, long-t	erm, systemic)	3.9 mg/kg bw/day (human)	
	DNEL (consumer, lor	ng-term, systemic)	7.8 mg/kg bw/day (human)	
Inhalative	DNEL (worker, long-t	erm, systemic)	27.6 mg/m³ (human)	
	DNEL (consumer, lor	ng-term, systemic)	18.9 mg/m³ (human)	
54068-28-	54068-28-9 DIOCTYLINBIS(ACETYLACETONATE)			
Dermal	DNEL (worker, long-t	erm, systemic)	0.07 mg/kg bw/day (human)	
Inhalative	DNEL (worker, short-	term, systemic)	84 mg/m³ (human)	
	DNEL (worker, long-t	erm, systemic)	84 mg/m³ (human)	
	DNEL (worker, short-term, loc		0.091 mg/m³ (human)	
	DNEL (worker, long-term, local)		0.091 mg/m³ (human)	
· PNECs				
2768-02-7	2768-02-7 trimethoxyvinylsilane			
PNEC aqu	PNEC aqua (freshwater) 0.4 mg			
PNEC aqu	PNEC aqua (marine water)		0.04 mg/L (.)	
PNEC soil	PNEC soil 0.0		0.06 mg/kg soil dw (.)	
PNEC sec	PNEC sediment (freshwater)		1.5 mg/kg sedim. dw (.)	
PNEC sec	liment (marine water)	0.15 mg/kg sedim. dw (.)		
	9 DIOCTYLINBIS(AC	ETYLACETONAT	E)	
PNEC aqu	PNEC aqua (freshwater)		0.026 mg/L (.)	
PNEC aqu	PNEC aqua (marine water)		0.003 mg/L (.)	
PNEC STI	PNEC STP		1 mg/L (.)	
PNEC soil		0.016 mg/kg soil o	dw (.)	
PNEC sec	liment (freshwater)	0.155 mg/kg sedir	m. dw (.)	
PNEC sec	PNEC sediment (marine water) 0.015 mg/kg sedim. dw (.)			
· Additio	nal information: The	lists that were vali	d during the compilation were used as basis.	

- Additional information: The lists that were valid during the compilation were used as basis.
- · 8.2 Exposure controls
- · Individual protection measures, such as personal protective equipment
  - General protective and hygienic measures

Keep away from foodstuffs, beverages and food.

Wash hands during breaks and at the end of the work.

(Contd. on page 4)

Printing date 20.09.2021 Version number 1 Revision: 20.09.2021

Trade name: Aqua-Fix PRO schwarz

(Contd. from page 3)

Avoid contact with the eyes and skin.

Use skin protection cream for preventive skin protection.

· Breathing equipment: Not required.

#### Hand protection

Protective gloves are only required in case of intense and/or prolonged skin contact with the product.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

Nitrile rubber, NBR

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· Eye/face protection Not required.

#### SECTION 9: Physical and chemical properties

· 9.1 Information on	basic physical	and chemical	properties
----------------------	----------------	--------------	------------

· General Information

Colour: Various colours
 Odour: Characteristic
 Melting point/freezing point: Not determined

· Boiling point or initial boiling point and

boiling range
Not determined
Not applicable

· SADT

· **pH** 8

· Viscosity:

Kinematic viscositydynamic:Not determined.Not determined.

· Solubility

Water: Insoluble Vapour pressure: Not determined.

· Density and/or relative density

· **Density** Not determined

· Relative density > 1

#### · 9.2 Other information

· Appearance:

· Form: Pasty

 Important information on protection of health and environment, and on safety.

• Explosive properties: Product is not explosive.

· VOC EU· VOC EU20 g/L2 %

# Information with regard to physical hazard classes

Explosives
Flammable gases
Aerosols
Oxidising gases
Gases under pressure
Flammable liquids
Flammable solids

(Contd. on page 5)

Revision: 20.09.2021 Printing date 20.09.2021 Version number 1

Trade name: Aqua-Fix PRO schwarz

		(Contd. from page 4
· Self-reactive substances and mixtures	Void	
· Pyrophoric liquids	Void	
Pyrophoric solids	Void	
Self-heating substances and mixtures	Void	
· Substances and mixtures, which emit		
flammable gases in contact with water	Void	
· Oxidising liquids	Void	
Oxidising solids	Void	
· Organic peroxides	Void	
· Corrosive to metals	Void	
· Desensitised explosives	Void	

#### SECTION 10: Stability and reactivity

- · 10.1 Reactivity No further relevant information available.
- 10.2 Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- 10.3 Possibility of hazardous reactions No dangerous reactions known
- 10.4 Conditions to avoid No further relevant information available.
- 10.5 Incompatible materials: No further relevant information available.
- 10.6 Hazardous decomposition products:

None in case of intended use and storage in compliance with instructions.

### SECTION 11: Toxicological information

- · 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008
  - · Acute toxicity Based on available data, the classification criteria are not met.

÷			-	
ı	· LD/LC50 values that are relevant for classification:			
ŀ				
ı	2768-02	?-7 trim	nethoxyvinylsilane	
ŀ	0 1	1.050	7.400	
ı	Orai	LD50	7,120 mg/kg (rat)	
ŀ				
ı	54068-28-9 DIOCTYLINBIS(ACETYLACETONATE)			
ŀ			,	
ı	Oral	LD50	2,500 mg/kg (rat) (OECD 423)	
ı				
ı	Dermal	I D50	> 2,000 mg/kg (rat) (OECD 402)	
п	Domina		2,000 mg/ng (rat) (0205 102)	

- · Skin corrosion/irritation Based on available data, the classification criteria are not met.
- · Serious eye damage/irritation Based on available data, the classification criteria are not met.
- · Respiratory or skin sensitisation Based on available data, the classification criteria are not met.
- · Germ cell mutagenicity Based on available data, the classification criteria are not met.
- · Carcinogenicity Based on available data, the classification criteria are not met.
- · Reproductive toxicity Based on available data, the classification criteria are not met.
- · STOT-single exposure Based on available data, the classification criteria are not met.
- · STOT-repeated exposure Based on available data, the classification criteria are not met.
- · Aspiration hazard Based on available data, the classification criteria are not met.
- 11.2 Information on other hazards
- · Endocrine disrupting properties

None of the ingredients is listed.

#### SECTION 12: Ecological information

- · 12.1 Toxicity
- · Aquatic toxicity: No further relevant information available.

(Contd. on page 6)

Printing date 20.09.2021 Version number 1 Revision: 20.09.2021

Trade name: Aqua-Fix PRO schwarz

(Contd. from page 5)

- 12.2 Persistence and degradability No further relevant information available.
- 12.3 Bioaccumulative potential No further relevant information available.
- 12.4 Mobility in soil No further relevant information available.
- 12.5 Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- 12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

- · 12.7 Other adverse effects
  - · Additional ecological information:
  - · General notes:

Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.

# SECTION 13: Disposal considerations

- · 13.1 Waste treatment methods
  - · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

The waste code numbers mentioned are recommendations based on the probable use of the product.

· Europe	· European waste catalogue		
08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS		
08 04 00	wastes from MFSU of adhesives and sealants (including waterproofing products)		
08 04 10	waste adhesives and sealants other than those mentioned in 08 04 09		

- · Uncleaned packagings:
  - Recommendation:

Dispose of packaging according to regulations on the disposal of packagings.

Cleaned packing materials have to be admitted to local recycling circuits.

14.1 UN number or ID number · ADR/ADN, ADN, IMDG, IATA	Void	
14.2 UN proper shipping name · ADR/ADN, ADN, IMDG, IATA	Void	
14.3 Transport hazard class(es)		
· ADR/ADN, ADN, IMDG, IATA · Class	Void	
14.4 Packing group · ADR/ADN, IMDG, IATA	Void	
14.5 Environmental hazards: · Marine pollutant:	No	
14.6 Special precautions for user	Not applicable.	

(Contd. on page 7)

Printing date 20.09.2021 Version number 1 Revision: 20.09.2021

Trade name: Aqua-Fix PRO schwarz

	(Contd. from page 6)
· 14.7 Maritime transport in bulk accordin IMO instruments	g to Not applicable.
· Transport/Additional information:	Not dangerous according to the above specifications.
· UN "Model Regulation":	Void

### SECTION 15: Regulatory information

- · 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Directive 2012/18/EU
- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment Annex II

None of the ingredients is listed.

- · REGULATION (EU) 2019/1148
- · Annex I RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

· Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

· Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

- · National regulations
- · Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.
- · Substances of very high concern (SVHC) according to REACH, Article 57

None of the ingredients is contained.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### SECTION 16: Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H226 Flammable liquid and vapour.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H332 Harmful if inhaled.

H371 May cause damage to organs.

· Department issuing data specification sheet:

DEKRA This Safety Data Sheet has been drawn up in cooperation with:

DEKRA Assurance Services GmbH, Hanomagstr. 12, D-30449 Hanover, Germany, phone: (+49) 511 42079 - 0, reach@dekra.com.

(Contd. on page 8)

Printing date 20.09.2021 Version number 1 Revision: 20.09.2021

Trade name: Aqua-Fix PRO schwarz

(Contd. from page 7)

© DEKRA Assurance Services GmbH. Changing this documents is subject to explicit acceptance by DEKRA Assurance Services GmbH.

#### Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement

Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

DNEL: Derived No-Effect Level (REACH)
PNEC: Predicted No-Effect Concentration (REACH)

LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic SVHC: Substances of Very High Concern vPvB: very Persistent and very Bioaccumulative

Flam. Liq. 3: Flammable liquids - Category 3

Acute Tox. 4: Acute toxicity – Category 4
Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Skin Sens. 1: Skin sensitisation - Category 1

STOT SE 2: Specific target organ toxicity (single exposure) - Category 2

Sources This safety data sheet was created based on the information provided by the supplier.